

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/25/2016

Reviewed on 01/25/2016

## 1 Identification

- **Product identifier**
- **Trade name: Nutri-Pel Fertilizer**
- **Relevant identified uses of the substance or mixture and uses advised against:**  
**Product description** A fertilizer product manufactured from various microbes used to digest sewage sludge.
- **Details of the supplier of the safety data sheet:**
- **Manufacturer/Supplier:**  
Metropolitan Biosolids Management, LLC  
6001 West Pershing Road  
Cicero, IL 60804  
Product/Technical Information Phone Number: (708) 652-0575
- **Emergency telephone number:** (708) 652-0575

## 2 Hazard(s) identification

- **Classification of the substance or mixture:**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard-determining components of labeling:**  
Activated Sewage Sludge (biosolids, dried microbes)
- **Hazard statements:**  
Causes skin and eye irritation.  
May cause respiratory irritation.
- **Precautionary statements:**  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves.  
Wash thoroughly after handling.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Call a poison center/doctor if you feel unwell.  
If skin irritation occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
If on skin: Wash with plenty of water.

(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/25/2016

Reviewed on 01/25/2016

**Trade name: Nutri-Pel**

Take off contaminated clothing and wash it before reuse.  
 Store locked up.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **Hazard(s) not otherwise classified (HNOC):** None known

### \* 3 Composition/information on ingredients

water, distilled, conductivity or of similar purity	4-8%
---	------

- **Chemical characterization: Mixtures**
- **Description:** Mixture: consisting of the following components.

- **Dangerous Components:**

308066-19-5	Activated Sewage Sludge (biosolids, dried microbes)	85.5-91.5%
	⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320; Aquatic Acute 2, H401	
	Cationic Polyelectrolyte Polymer	≤ 2.5%

### \* 4 First-aid measures

- **Description of first aid measures:**
- **After inhalation:**  
 Supply fresh air; consult doctor in case of complaints.  
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
 Immediately wash with water and soap and rinse thoroughly.  
 If skin irritation occurs, consult a doctor.
- **After eye contact:**  
 Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:**  
 Asthmatics exposed to excessive dusts may have trouble breathing.
- **Indication of any immediate medical attention and special treatment needed:**  
 No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media:**
- **Suitable extinguishing agents:**  
 CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture:**  
 At high temperatures, this type of fertilizer can give off undefined fumes. Fine dust dispersion in air may form an explosive mixture. Bulk wetted material may generate heat upon storage. Use of TEFC electrical equipment is advised to aid in control of dust explosions. Control fugitive dust at its' source by containment or treating Nutri-Pel with a dust suppressant.

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/25/2016

Reviewed on 01/25/2016

**Trade name: Nutri-Pel**

- **Advice for firefighters:**

Do not breathe fumes. Prevent runoff from entering drains, sewers or any body of water. Becomes slippery when wet, guard against falls.

- **Protective equipment:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### \* 7 Handling and storage

- **Handling**

- **Precautions for safe handling:**

Avoid breathing dust. Wash after handling. Do not allow to become wet during storage.

- **Information about protection against explosions and fires:** No special measures required.

- **Conditions for safe storage, including any incompatibilities:**

- **Storage**

- **Requirements to be met by storerooms and receptacles:**

Store in a cool, dry area out of the reach of children and animals.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:** Keep dry. Bulk wetted material may generate heat upon storage.

- **Specific end use(s):** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

- **Control parameters:**

- **Components with occupational exposure limits:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

- **Exposure controls:**

Provide general ventilation in processing and storage. Provide local exhaust if necessary to reduce dust levels below acceptable limits

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Breathing equipment:** Not required.

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/25/2016

Reviewed on 01/25/2016

**Trade name: Nutri-Pel****· Protection of hands:**

Protective gloves

**· Eye protection:**

Tightly sealed goggles

**9 Physical and chemical properties****· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:**

Solid pellets

**Color:**

Dark

**· Odor:**

Earthy

**· Odor threshold:**

Not determined.

**· pH-value @ 20 °C (68 °F):**

6.7

**· Change in condition****Melting point/Melting range:**

Not determined.

**Boiling point/Boiling range:**

Not determined.

**· Flash point:**

Not applicable.

**· Flammability (solid, gaseous):**

Not determined.

**· Ignition temperature:****Decomposition temperature:**

Not determined.

**· Auto igniting:**

Product is not self-igniting.

**· Danger of explosion:**

Product does not present an explosion hazard.

**· Explosion limits:****Lower:**

Not determined.

**Upper:**

Not determined.

**· Vapor pressure:**

Not applicable.

**· Density:****Relative density:**

Not determined.

**Vapor density:**

Not applicable.

**Evaporation rate:**

Not applicable.

**· Solubility in / Miscibility with:****Water:**

Slightly soluble.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/25/2016

Reviewed on 01/25/2016

**Trade name: Nutri-Pel**

- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not applicable.
  - Kinematic:** Not applicable.
- **Other information:** Bulk Density: 55 lbs/ft<sup>3</sup>.

### 10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Excessive heat; absorbs moisture in highly humid areas.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
Expected to emit the same types of toxic smoke as would be released during combustion of other organic materials.

### \* 11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity:**
- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**

As a recycled product from a municipal water reclamation facility, biosolids have the potential to contain various pollutants. The US Environmental Protection Agency has extensively analyzed the risk from these pollutants and concluded that metals present significant risks at the levels likely to be found in Biosolids. In response, the US Environmental Protection Agency has established limits for nine metals (40 CFR 503.13(b)). Metal concentrations in Nutri-Pel are consistently far below the applicable limits (40 CFR 503.13(b)(1)Table 3).

In biosolids, pathogens may present a risk. In response, the US Environmental Protection Agency has established pathogen limits. To destroy pathogens, Nutri-Pel is heated to 176°F and dried to a moisture content of less than 10%, which ensures compliance with the applicable limits (40 CFR 503.32(a)(7)).

- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.
-------------------------------------

- **NTP (National Toxicology Program):**

None of the ingredients are listed.
-------------------------------------

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.
-------------------------------------

### 12 Ecological information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/25/2016

Reviewed on 01/25/2016

**Trade name: Nutri-Pel**

- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow product or product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods:**
- **Recommendation:**  
Sweep, vacuum or shovel material into labeled container. If at all possible reuse product.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **UN-Number:**
- **DOT, ADR, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

- **TSCA (Toxic Substances Control Act):**

water, distilled, conductivity or of similar purity

- **California Proposition 65:**

- **Chemicals known to cause cancer:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/25/2016

Reviewed on 01/25/2016

**Trade name: Nutri-Pel**

<ul style="list-style-type: none"> <li>· <b>Chemicals known to cause reproductive toxicity for males:</b></li> </ul>
None of the ingredients are listed.

<ul style="list-style-type: none"> <li>· <b>Chemicals known to cause developmental toxicity:</b></li> </ul>
None of the ingredients are listed.

- **Carcinogenic categories:**

<ul style="list-style-type: none"> <li>· <b>EPA (Environmental Protection Agency):</b></li> </ul>
None of the ingredients are listed.

<ul style="list-style-type: none"> <li>· <b>TLV (Threshold Limit Value established by ACGIH):</b></li> </ul>
None of the ingredients are listed.

<ul style="list-style-type: none"> <li>· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b></li> </ul>
None of the ingredients are listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS07

- **Signal word:** Warning

- **Hazard-determining components of labeling:**

Activated Sewage Sludge (biosolids, dried microbes)

- **Hazard statements:**

Causes skin and eye irritation.

May cause respiratory irritation.

- **Precautionary statements:**

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

<ul style="list-style-type: none"> <li>· <b>National regulations:</b></li> </ul>
The product is subject to be classified according with the latest version of the regulations on hazardous substances.

(Contd. on page 8)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/25/2016

Reviewed on 01/25/2016

**Trade name: Nutri-Pel**

<b>· State Right to Know:</b>		
308066-19-5	Activated Sewage Sludge (biosolids, dried microbes)	85.5-91.5%
	⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320; Aquatic Acute 2, H401	
	water, distilled, conductivity or of similar purity	5-10%
	Cationic Polyelectrolyte Polymer	≤ 2.5%
All ingredients are listed.		

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision:** 08/02/2015 / 01/25/2016

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
 Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B  
 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  
 Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106